|    | L #  | Hits   | Search Text                              | DBs   |
|----|------|--------|------------------------------------------|-------|
| 1  | L1   | 1438   | horizontal adj resolution                | USPAT |
| 2  | L2   | 276133 | expand or expansion                      | USPAT |
| 3  | L3   | 6217   | image adj resolution                     | USPAT |
| 4  | L4   | 51     | 1 and 2 and 3                            | USPAT |
| 5  | L5   | 2328   | DVD or "digital versatile disk"          | USPAT |
| 6  | L6   | 1      | 4 and 5                                  | USPAT |
| 7  | L7   | 299    | 345/127.ccls.                            | USPAT |
| 8  | L8   | 71     | 345/130.ccls.                            | USPAT |
| 9  | L9   | 238    | 345/132.ccls.                            | USPAT |
| 10 | L10  | 393    | 348/441.ccls.                            | USPAT |
| 11 | L11  | 177    | 348/445.ccls.                            | USPAT |
| 12 | L12  | 528    | (382/298-299).ccls.                      | USPAT |
| 13 | L13  | 1543   | 7 or 8 or 9 or 10 or 11 or 12            | USPAT |
| 14 | L14  | 24     | 1 and 2 and 13                           | USPAT |
| 15 | L15  | 0      | 1 and 2 and 8                            | USPAT |
| 16 | L16  | 1063   | 2 and 3                                  | USPAT |
| 17 | L17  | 61     | 13 and 16                                | USPAT |
| 18 | L18  | 9      | 1 and 17                                 | USPAT |

| | Document ID | Issue Date | Pages | Title | Current OR | Current XRef |
|---|---|---|---|---|---|---|
| 9 | US 5537157 A | 19960716 | 18 | Multi-format audio/video production system | 348/722 | 348/445 ; 348/554 ; 348/556 ; 348/911 |
| 10 | US 5510843 A | 19960423 | 23 | Flicker reduction and size adjustment for video controller with interlaced video output | 348/446 | 348/441 ; 348/447 |
| 11 | US 5486859 A | 19960123 | 25 | Charge-coupled device type solid state imaging device making best use of effective pixels and obtaining images of different two or more kinds of aspect ratios | 348/311 | 348/245 ; 348/314 ; 348/321 ; 348/445 |
| 12 | US 5483296 A | 19960109 | 11 | High resolution image storage whereby image is divided and stored as plural groups of horizontally and vertically interleavable data | 348/719 | 348/715 ; 358/451 ; 382/298 |
| 13 | US 5265176 A | 19931123 | 15 | Method and apparatus for mapping printer resolution using lock-up-tables | 382/299 | 345/127 ; 345/428 ; 358/1.2 ; 358/451 |
| 14 | US 5119082 A | 19920602 | 11 | Color television window expansion and overscan correction for high-resolution raster graphics displays | 345/132 | 345/153 ; 345/516 ; 348/596 |

| | Document ID | Issue Date | Pages | Title | Current OR | Current XRef |
|---|---|---|---|---|---|---|
| 15 | US 5111295 A | 19920505 | 19 | Method and system for high definition color TV compatible with existing | 348/443 | 348/441 |
| 16 | US 5020115 A | 19910528 | 11 | TV sets, existing broadcasting channels and existing VCR equipment. Methods and apparatus for dynamically scaling images | 382/298 | 358/451 ; 358/453 ; 382/303 |
| 17 | US 4967263 A | 19901030 | 21 | Widescreen television signal processor system with interpolator for reducing artifacts. | 348/628 | 348/445 ; 348/608 |
| 18 | US 4918436 A | 19900417 | 26 | High resolution graphics system | 345/510 | 345/132 ; 345/197 |
| 19 | US 4851826 A | 19890725 | 27 | Computer video demultiplexer | 345/132 | 345/127 |
| 20 | US 4845562 A | 19890704 | 29 | Widescreen television reception and recording system utilizing conventional equipment. | 386/131 | 348/445 ; 386/123 |
| 21 | US 4730215 A | 19880308 | 16 | Compatible wide screen television system with variable image compression/expansion | 348/445 | 348/469 ; 348/581 |
| 22 | US 4709256 A | 19871124 | 10 | Wide screen composite video signal encoder and standard aspect ratio decoder having barst and subcarrier components of different frequencies. | 348/445 | 348/493 |
| 23 | US 4654696 A | 19870331 | 16 | Video signal format | 348/445 | 348/474 ; 348/489 ; 348/556 |

| | Document ID | Issue Date | Pages | Title | Current OR | Current XRef |
|---|---|---|---|---|---|---|
| 24 | US 4628534 A | 19861209 | 14 | Method for changing the resolution of compressed image data | 382/299 | 382/277 |

| # | L # | Hits | Search Text | DBs |
|---|-----|------|-------------|-----|
| 1 | L1 | 1438 | horizontal adj resolution | USPAT |
| 2 | L2 | 276133 | expand or expansion | USPAT |
| 3 | L3 | 6217 | image adj resolution | USPAT |
| 4 | L4 | 51 | 1 and 2 and 3 | USPAT |
| 5 | L5 | 2328 | DVD or "digital versatile disk" | USPAT |
| 6 | L6 | 1 | 4 and 5 | USPAT |
| 7 | L7 | 299 | 345/127.ccls. | USPAT |
| 8 | L8 | 71 | 345/130.ccls. | USPAT |
| 9 | L9 | 238 | 345/132.ccls. | USPAT |
| 10 | L10 | 393 | 348/441.ccls. | USPAT |
| 11 | L11 | 177 | 348/445.ccls. | USPAT |
| 12 | L12 | 528 | (382/298-299).ccls. | USPAT |
| 13 | L13 | 1543 | 7 or 8 or 9 or 10 or 11 or 12 | USPAT |
| 14 | L14 | 24 | 1 and 2 and 13 | USPAT |

Page 1 (FNguyen, 12/04/2000, EAST Version: 1.01.0015)

09/107,524